	Application No.	Applicant(s)
Notice of Allowability	10/078,378	KUSAKA ET AL.
	Examiner	Art Unit
	Zoila E. Cabrera	2125
Th MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>Amendment of 10/7/04</u> .		
2. The allowed claim(s) is/are <u>9-16</u> .		
3. The drawings filed on 21 February 2002 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a)		
Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date	6. Interview Summary Paper No./Mail Da 08), 7. Examiner's Amendr	tė .

Application/Control Number: 10/078,378

Art Unit: 2125

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with John R. Mattingly on January 5, 2005.

The application has been amended as follows:

Claim 9, line 9, before "a plurality" insert -- said centralized monitoring device includes --.

Claim 9, line 3, delete "plans" and instead insert - -plants --.

Allowable Subject Matter

2. Claims 9-16 are allowed.

The following is an examiner's statement of reasons for allowance: The allowability of the claims resides, at least in part, that the closest prior art of record **Spira et al. (US 2002/0035495 A1)** does not disclose or suggest, alone or in combination the step of:

Regarding independent claim 9, said centralized monitoring device includes a plurality of start and stop control devices for remotely controlling start and stop

Application/Control Number: 10/078,378

Art Unit: 2125

operations of the plurality of thermal power generation plants, and wherein each of the plurality of start and stop control devices is provided with a control program setting a start and stop control and operation sequence for each corresponding one of the plurality of thermal power generation plants, in combination with the other elements and features of the claimed invention.

As for independent claim 16, the remote control center includes a plurality of start and stop control devices for remote controlling of start and stop operations of the plurality of thermal power generation plants, and said start and stop control devices are provided with a control program setting a start and stop control and operation sequence for the corresponding thermal power generation plants, in combination with the other elements and features of the claimed invention.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Zoila E. Cabrera whose telephone number is 571-272-

Art Unit: 2125

3738. The examiner can normally be reached on M-F from 8:00 a.m. to 5:30 p.m. EST (every other Friday).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Leo Picard, can be reached on (571) 2723749. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306. Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-9600.

Zoila Cabrera Patent Examiner January 6, 2005

> LEO PICARD SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2100

L.P.P.